

TECHNICAL DATA SHEET

MagAir Visor with Tyvek Hood



DESCRIPTION

The M23RVSN is a respiratory protective lightweight full hood made from Dupont™ Tyvek® “F” material fitted with a replaceable polycarbonate visor that offers impact protection to EN 166 1 B.

The headpiece can be used with a range of Martindale PAPRs or compressed air.

The hood is supplied assembled complete with overhead air duct, Tyvek F hood with elasticated neck seal.

The visor is mounted on a head harness fitted with an easily adjustable “wheel” ratchet, it has an adjustable crown strap and brushed Nylon sweatband for maximum comfort.

The hood is supplied complete with an air supply hose.



SPECIFICATION

Visor size	320mm x 155mm	
Effective hose length	830mm	
Head harness size	51 - 64cm	
Weight	Assembled with Hose	Hose only
	741g	217g

MATERIALS

Hose	PVC with plastic spiral reinforcement
Sweatband	Brushed Nylon
Hood	Dupont™ Tyvek® “F” material
Visor	Polycarbonate

EUROPEAN STANDARDS

Product Code	EN 166:2001: Personal Eye Protection								EN 14594: Respiratory protective devices. Continuous flow compressed air line breathing apparatus	EN 12941: Respiratory protective devices
	F - Low Energy Impact	B - Medium Energy Impact	A - High Energy Impact	1 - Optical Class	3 - Liquid droplets	9 - Molten Metal Splash	T - High Speed Particles at extremes of temperature	8 - Electric Arc	Class 2A	Class TH2P ⁽¹⁾
M23RVSN									✓	✓
Visor	✓			✓	✓	✓				

⁽¹⁾When fitted with M23P2/5 or M23P2OD/5 Filter

PACKAGING AND MAINTENANCE

Packaging	M23RVSN: 1 per Box, Box size 27 x 27 x 36cm, weight 1kg
Storage	The headpiece must be stored in a clean dry atmosphere within the temperature range - 5 °C to + 55 °C at R.H. < 90% in its original packaging. Ideal storage conditions are 5 °C to 35°C R.H. < 60%. Transport in original packaging. If stored in correct conditions the product has a 5 year shelf life.
Lifetime	Excessive wear and tear can considerably reduce the lifespan of the product
Cleaning	Clean using damp soft cloth
Disposal	Recycle. Look out for the recycling symbol for material category